

Publications in Refereed Journal

1. “Bailey, J.A. and Jeelani, S. “Surface Integrity in Machining 18% Nickel Maraging Steel”, **ASME Transactions**, 1974, pages 74-185.
2. Bailey, J.A, and Jeelan,i S. “Determination of Subsurface Plastic Strain in Machining, Using a Embossed Grid”, **Wear**, Vol. 36, No. 2, 1975, page 199-206.
3. Bailey, J. A., Jeelani, S. and Baker, S. E. “Surface Integrity in Machining Quenched and Tempered AISI 4340 Steel”, **ASME, Journal of Engineering for Industry**. 98 (3) 1976-1979.
4. Jeelani, S. “Measurement of Cutting Temperature in Machining Using Infrared Photography”, **Wear** 68, 1981, pg. 191-202.
5. Bailey, J. A. and Jeelani, S. “State of Subsurface Region in Machining Solution Treated and Aged 18% Nickel Maraging Steel”, **Wear** 72, 1981, pg. 237-243.
6. Jeelani, S. and Reddy, P. A. “A Study of Cumulative Fatigue Damage in 2011-T3 Aluminum Alloy”, **Journal of Materials Science and Engineering**, 561 1982, pg. 237-243.
7. Jeelani, S. and Ramakrishnan, K. “Subsurface Plastic Deformation in Machining Annealed 18% Nickel Maraging Steel”, **Wear**, 85 1982, pg. 263-273.
8. Jeelani, S. and Ramakrishnan, K. “Determination of Subsurface Plastic Strain Distribution in the Machining of Red Brass”, **Wear**, 85 1983, pg. 67-69.
9. Jeelani, S. and Ramakrishnan, K. “Determination of Subsurface Plastic Strain in the Machining of 6-2-4-2 Titanium Alloy”, **Wear**, 85 1983, pg. 121-130.
10. Jeelani, S. and Aslam, M. “A Study of Cumulative Fatigue Damage in 2024-T4 Aluminum Alloy”, **Wear**, 939, 1984, pg. 207-217.
11. Jeelani, S. and Musial, M. “Effect of Cutting Speed and Tool Rake Angle on the Fatigue Life of Aluminum Alloy 2024-T351”, **International Journal of Fatigue**. 6(3) 1984, pg. 169-172.
12. Aslam, M. and Jeelani, S. “Prediction of Cumulative Fatigue Damage”, **Journal of Materials Science**, 20 1985, pg. 3232-3244.
13. Jeelani, S. and Ramakrishnan, K. “Surface Damage in Machining Red Brass”, **Journal of Material Science**, 20 1985, pg. 3011-3017.

14. Jeelani, S. and Ramakrishnan, K. "Surface Damage in Machining 6Al-2Sn-4Zr-2Mo. Titanium Alloy", **Journal of Materials Science**, 20 1985, pg. 3425-3252.
15. Jeelani, S. and Musial, M. "Dependence of Fatigue Life on the Surface Integrity in the Machining of 2024-T351 Aluminum Alloy", Part I, "Un-lubricated Condnsitions". **Journal of Material Science**, 20(1) 1986, pg. 155-160.
16. Jeelani, S. and Musial, M. "A Study of Cumulative Fatigue Damage in AISI 4130 Steel", **Journal of Materials Science**, 21(1) 1986, pg. 2109-2113.
17. Jeelani, S., Ghebremedhin, S. and Musial, M. "A Study of Cumulative Fatigue Damage in Titanium 6Al-4V Alloy", **International Journal of Fatigue**, 8 No. 1, 1986, pg. 23-27.
18. Jeelani, S. and Bailey, J. A. "Residual Stress Distribution in Machining Annealed 18% Nickel Maraging Steel", **ASME Journal of Materials Science and Technology**, Vol. 108 (1986) 93-98.
19. Jeelani, S., Biswas, S. and Natarajan, R. "Effect of Cutting Speed and Tool Rake Angle on Residual Stress Distribution in Machining 2024-T351 Aluminum Alloy", "A Study of Cumulative Fatigue Damage in AISI 4130 Steel", **Journal of Materials Science**, 21, 1986, pg. 2705-2710.
20. Jeelani, S., Natarajan, R. and Reddy, G. R. "A Sub-sized Fatigue Specimen", **International Journal of Fatigue**, 8, No. 3(1986).
21. Mazumdar, P. and Jeelani, S. "Fatigue Crack Propagation Rate Model Based on a Dislocation Mechanism", **Journal of Materials Science Letters**, 5 (1986) 972-974.
22. Mazumdar, P. and Jeelani, S. "Plastic Deformation – Its Role in Fatigue Crack Propagation", **Journal of Materials Science**, 21, 1986, pg. 3611-3614.
23. Jeelani, S. and Collins, M. R. "Effect of Electric Discharge Machining on the Fatigue Life", **International Journal of Fatigue**, 10 No. 2 (1988) pg. 121-125.
24. Jeelani, S. and Scott, M. A. "How Surface Damage Removal Affects Fatigue Life", **International Journal of Fatigue**,. 10 No. 4 (1988) pg. 257-260
25. Haque, A., Copeland, C. W., Zadoo, D. P. and Jeelani, S. "Hygrothermal Influence on Flexural Properties of Kevlar-Graphite/Epoxy Hybrid Composites", **Journal of Reinforced Plastics and Composites**, Vol. 9, November 1990, pp. 602-613
26. Haque, A. Moorehead, L., Zadoo, D. P. and Jeelani, S. "Hygrothermal Influence on interlaminar Shear Strength of Kevlar-Graphite/Epoxy Hybrid Composites", **Journal of Materials Science**, 25, 1990, pg. 4639-4643.

27. Haque, A., Mahmood, S., Walker, L. and Jeelani, S. "Moisture and Temperature Induced Degradation in Tensile Properties of Kevlar 49/Graphite-Epoxy Hybrid Composites", **Journal of Reinforced Plastics and Composites**, Vol. 10/No. 2, March 1991, pp. 132-145.
28. Jordan, K., Clinton, R. and Jeelani, S. "An Evaluation of the Interfacial Bond Properties between Carbon Phenolic and Glass Phenolic Composites", **Journal of Materials**, 26 (1991), 6016-6022.
29. Rangaswamy, P Terutung, H. and Jeelani, S. "Effect of Grinding Conditions on the Fatigue Life of Titanium 5AL-2.5SN Alloy", **Journal of Materials Science**, 26 No. 10 pp. 2701-2706, 1991.
30. Haque, A. and Jeelani, S. "Environmental Effects on the Compressive Properties: Thermosetting vs. Thermoplastic Composites", **Journal of Reinforced Plastics and Composites**, Vol. 2, February 1992, pp. 146-157.
31. Huq, N., Haque, A. and Jeelani, S. "Fracture Toughness Measurements on SiC/Al₂O₃ Composite" **Journal of Material Science**, 27 (1992) pp. 5989-5993.
32. Mahfuz, H., Sue, D., Jeelani, S., Baker, D. M. and Johnson, S. "Non-Linear Response of 2-D Carbon-Carbon Composites by Layered Shell Elements", **Developments in Theoretical and Applied Mechanics** in, Vol. 16, (1992) pp. III.I. 62-72.
33. Mahfuz, H., Ingram, C. I. and Jeelani, S. "Compressive Response of Thermoplastic Composites by Layered Shell Elements", **Computers in Engineering**, Vol. 2, ASME, 1992, pp. 95-101.
34. Salekeen, S., Haque, A., Copes, J. S., Mahfuz, H. and Jeelani, S. "Effects of Reinforcement Geometry on the Mechanical Properties of SiC/Al₂O₃ Composites and Prediction of Flexural Properties by Energy Method", **Journal of Composites Engineering**, Vol. 2, No. 4, pp. 239-247, 1992.
35. Mahfuz, H., Yu, T. and Jeelani, S. "High Cycle Fatigue Characterization of Titanium 5A1-2.5Sn Alloy", **Journal of Materials Science**, 28 (1993) pp. 138-144.
36. Mahfuz, H., Das, P. S., Jeelani, S., Baker, D. M. and Johnson, S., "Failure Mechanisms in Mission Cycled Carbon/Carbon Composites under Flexural Load at Room and Elevated Temperatures", **Journal of Materials Science**, 28 (1993) pp. 5880-5886.
37. Mahfuz, H., Das, P. S., Jeelani, S., Baker, D. M. and Johnson, S., "Effect of Mission Cycling on the Fatigue Performance of SiC Coated Carbon-Carbon Composites", **International Journal of Fatigue**, Vol. 15, No. 4 (1993) pp. 283-291.
38. Mahfuz, H., Das, P. S., Xue, D., Krishnagopalan, J. and Jeelani, S. "A Combined Experimental and Finite Element Study to Predict The Failure Mechanisms in SiC coated

Carbon/Carbon Composites at Room and Elevated Temperatures Under Flexural Loading”, **Journal of Reinforced Plastics and Composites**, Vol. 12, No. 7, July 1993, pp. 825-842

39. Haque, A., Krishnagopalan, J. and Jeelani, S. “Fatigue Damage in Laminated Composites”, **Journal of Reinforced Plastics and Composites**, Vol. 12, No. 10 October 1993, pp. 1058-1069.
40. Mahfuz, H., Xue, D., Jeelani, S., Baker, D. M. and Johnson, S. “Response of SiC Coated Carbon-Carbon Composites at Room and Elevated Temperatures under Tensile Loading”, **Composite Science and Technology**, 50 (1994) 411-422.
41. Haque, A., Mahfuz, H., Ingram, C. and Jeelani, S. “Response of Thermoplastic and Thermosetting Composites Under Compressive Loading- An Experimental and Finite Element Study”, **Composites Engineering**, Vol. 4, No. 6, 1994, pp. 637-651.
42. Vaidya, U. K., Mahfuz, H. and Jeelani, S. “NDE of Structural and Functional Carbon/Carbon Composites after First Carbonization”, **Journal of Advanced Materials**, Vol. 26, No. 2, pp. 41-47, 1995.
43. Mahfuz, H., Zadoo, D., Wilks, F., Muneeruzzaman, M. and Jeelani, S., “Fracture and Flexural Characterization of SiC_w/SiC Composites at Room and Elevated Temperatures”, **Journal of Materials Science**, 1995, Vol. 30, pp. 2406-2411.
44. Mahfuz, H., Muneeruzzaman, M., Vaidya, U. K. and Jeelani, S. “Fatigue Damage and Effects of Stress Ratio on the Fatigue Life of Carbon-Carbon Composites”, **Theoretical and Applied Fracture Mechanics**, 24 (1995), 21-31.
45. Mahfuz, H., Saha, M., Haque, A., Vaidya, U. K. and Jeelani, S. "Fatigue Damage and Residual Strength of Resin Transfer Molded Composites under Reversed Cyclic Loading," **Innovative Processing and Characterization of Composite Materials**, ASME 1995, NCA-Vol. 20/AMD-Vol.21 1, pp. 77-88.
46. Mahfuz, H., Haque, A., Yu, D. and Jeelani, S. “Response of Resin Transfer (RTM) Composites under Reverse Cyclic Loading”, **Transaction of the ASME, Journal of Engineering Materials and Technology**, Vol. 118, pp. 49-57, 1996..
47. Vaidya, U. K., Mahfuz, H. and Jeelani, S. “NDE of Sandwich and Hybrid Carbon-Carbon Composites”, **Journal of Reinforced Plastics and Composites**, Vol. 15, October 1996, pp. 988- 1010.
48. Vaidya, U. K., Dadzie, P., Haque, A., Mahfuz, H. and Jeelani, S. "NDE and Characterization of Micro fibers Modified Textile Carbon/Phenolic and Carbon/Carbon Composites”, **Journal of Reinforced Plastics and Composites**, Vol. 16, No. 11, 1997, pp. 968- 1001.

49. Mahfuz, H., Muneeruzzaman, M., Vaidya, U. K. and Jeelani, S. "Response of $\text{SiC}_f/\text{Si}_3\text{N}_4$ Composites under Cyclic Loading - An Experimental and Statistical Analysis," **Transaction of the ASME, Journal of Engineering Materials and Technology**, Vol. 119, pp 186-193, April 1997.
50. Haque, A., Johnson, J., Vaidya, U. K. and Jeelani, S. "Fatigue Damage in S2- Glass/Vinyl Ester Thick Composites", **NCA-Vol. 24, ASME, 1997**, pp.247-257.
51. Gajiwala, H. M., Vaidya, U. K., Sodah, S. and Jeelani, S. "Hybridized Resin Matrix Approach Applied for Development of Carbon/Carbon Composites: Part-I", **Carbon**, Vol. 36, No. 7-8, pp. 903-912, 1998.
52. Mahfuz, H., Saha, M., Biggs, R. and Jeelani, S. "Damage Tolerance of Resin Infiltrated Composites under Low Velocity Impact - Experimental and Numerical Studies," **Key Engineering Materials**, Trans. Tech Publications, Switzerland, Vol. 141-143 (1998), pp. 209-234.
53. Mahfuz, H., Lokesh, B., Vaidya, U. K. and Jeelani, S. "Experimental and Finite Element Hybrid Stress Analysis of Thick Section S2-Glass Composites," **Developments in Theoretical and Applied Mechanics**, Vol. 9 (1998), pp. 117- 128.
54. Mahfuz, H., Mian, A. K. M., Vaidya, U. K., Brown, T. and Jeelani, S. "Finite Element Study of the Fiber-Matrix Interface Behavior of [0/90] Laminated Composites Under Tensile Loading," **Journal of Materials Science**, 33 (1998) 2965-2973.
55. Vaidya, U. K., Kamath, M. V., Mahfuz, H. and Jeelani, S. "Low Velocity Impact Response of Resin Infusion molded foam Filled Honeycomb Sandwich Composites," **Journal of Reinforced Plastics and Composites**, Vol. 17, No. 9, 1998, pp. 819-849.
56. Haque, A., Rahman, M., Vaidya, U. K., Mahfuz, H. and Jeelani, S. "Tensile Behavior of Woven Ceramic Matrix Composites at Room and Elevated Temperature: An Experimental and Numerical Study," **Key Engineering Materials**, Vols. 164-165 (1999) pp. 341-344.
57. Mahfuz, H., Mamun, W., Haque, A., Vaidya, U. and Jeelani, S. "Stress Wave Propagation through Fiber and Matrix in a Cylindrical Composite Coupon", **Physics and Modern Topics in Mechanical and Electrical Engineering**, (ISBN: 960-8052-10-6), World Scientific and Engineering Society Press, pp. 151-158, 1999.
58. Hosur, M. V., Vaidya, U. K., Abraham, A., Jadhav, N. and Jeelani, S. "Static and High Strain Rate Compression Response of Thick Section Twill Weave S2-Glass/Vinyl Ester Composites Manufactured by Affordable Liquid Molding Processes", **Journal of Engineering Materials and Technology**, Vol. 121, No. 4, October 1999, pp. 468-475
59. Motuku, M., Janowski, G. M., Vaidya, U. K., Mahfuz, H., and Jeelani, S. "Low Velocity Impact Characterization of Unreinforced Vinyl Ester 411-350 and 411-C50 Resin Systems," **Polymer & Polymer Composites**, Vol. 7, No. 6, 1999, pp. 383-407.

60. Vaidya, U. K., Kamath, M. V., Hosur, M. V., Mahfuz, H. and Jeelani, S. "Manufacturing and Low Velocity Impact Response of Sandwich Composites with Hollow and Foam Filled Z-Pin Reinforced Core," **Journal of Composites Technology and Research**, JCTRER, Vol. 21, No.2, April 1999, pp. 84-97.
61. Vaidya, U. K., Hosur, M. V., Earl, D. and Jeelani, S. "Impact Response of Integrated Hollow Core Sandwich Composite Panels", **Composites Part A: Applied science and Manufacturing** Vol. 31 (8), 2000 pp. 761-772.
62. Mahfuz, H., Zhu, Y., Haque, A., Vaidya, U. K. and Jeelani, S. "Investigation of High Velocity Impact on Integral Armor Using Finite Element Method," **International Journal of Impact Engineering**, Vol. 24, No. 2 (2000), pp. 203-217.
63. Mahfuz, H., Mamun, W., Haque, A., Vaidya, U. K. and Jeelani, S."An Innovative Technique for Measuring the High Strain Rate Response of Sandwich Composites," **Composite Structures**, 50 (2000) 279-285.
64. Mahfuz, H., Zaman, K., Hisham, M. Foy, C., Haque, A. and Jeelani, S. "Fatigue Life Prediction of Thick-Section S2-Glass/Vinyl-Ester Composites under Flexural Loading," **Transaction of ASME, Journal of Engineering Materials and Technology**, Vol. 122, October 2000, pp. 402-408.
65. Motuku, M., Janowski, G. M., Vaidya, U. K., Mahfuz, H. and Jeelani, S. "Damage Evolution in Low-Velocity Impacted Unreinforced Vinyl Ester 411-350 and 411-C50 Resin Systems," **Polymer Composites**, No. 6, Vol. 21, December 2000, pp.878-899
66. Hosur, M. V., Alexander, J. Vaidya U. K. and Jeelani, S. "High Strain Rate Compression Response of Carbon/Epoxy Laminate Composites," **Journal of Composite Structures**, 52 (2001), 405-417.
67. Mahfuz, H., Mamun, W., Austin, L., Haque, A. and Jeelani, S. "New Formulations for Hopkinson Bar Technique to Extract a Response of the Constituent Material in Composite Specimens," **Journal of Materials: Design and Applications**, Vol. 215,(2001) pp. 15-27.
68. Hosur, M. V., Abraham, A., Jeelani, S. and Vaidya, U. K. "Studies on the Influence of Through-The-Thickness reinforcement on Low-Velocity and High Strain rate response of Woven S2-Glass/Vinyl Ester Composites," **Journal of Composite Materials**, Vol. 35, No. 12,(2001), 1111-1133.
69. Gama, B., Gillespie, J., Mahfuz, H., Bogetti, T., Fink, B. and Jeelani, S. "High Strain Rate Behavior of Plain-Weave S-2 Glass/Vinyl ester Composites," **Journal of Composite Materials**, Vol. 35, No. 13 (2001), pp. 1201-1228.

70. Mahfuz, H., Mamun, W. and Jeelani, S. "High Strain Rate Response of Sandwich Composites; Effect of Core Density and Core-Skin Debond," *Journal of Advanced Materials*, Vol. 34, No. 1, January (2002), pp. 22-26.
71. Kanny, K., Mahfuz, H., Thomas, T. and Jeelani, S. "Dynamic Mechanical Analysis and Flexural Fatigue of PVC Foams," *Composite Structures*, 58 (2002), pp. 175-183.
72. Thomas, T., Mahfuz, H., Kanny, K. and Jeelani, S. "Dynamic Compression of Cellular Cores: Temperature and Strain Rate Effects," *Composite Structures*, 58 (2002), pp. 505-512.
73. Mahfuz, H., Mamun, W. and Jeelani, S. "High Strain Rate Response of Sandwich Composites; Effect of Core Density and Core-Skin Debond," *Journal of Advanced Materials*, Vol. 34, No. 1, January (2002), pp. 22-26.
74. Kanny, K., Mahfuz, H., Thomas, T. and Jeelani, S. "Dynamic Mechanical Analysis and Flexural Fatigue of PVC Foams," *Composite Structures*, 58 (2002), pp. 175-183.
75. Thomas, T., Mahfuz, H., Kanny, K. and Jeelani, S. "Dynamic Compression of Cellular Cores: Temperature and Strain Rate Effects," *Composite Structures*, 58 (2002), pp. 505-512.
76. Mahfuz, H., Gama, B., Das, P., Jeelani, S., Gillispie, J. and Fink, B., "Response of S2-Glass/Vinyl Ester Composites under High Strain Rate Loading - An Experimental and Finite Element Study," *Journal of Advanced Materials*, Vol. 35, No. 4(2003), pp.36-43.
77. Kulkarni N., Mahfuz, H., Jeelani, S. and Carlsson, L."Fatigue Crack Growth and Life Prediction in Foam Core Sandwich Composites under Flexural Loading," *Composite Structures*, 59 (2003), pp. 499-505.
78. Haque, A., Hossain M. K., "Effects of Moisture and Temperature on High Strain Rate Behavior of S2-Glass-Vinyl Ester Woven Composites," *Journal of Composite Materials*, Vol. 37 (7), (2003), pp. 627-647
79. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and Jeelani, S., "High Strain Rate Compression Response of Affordable Woven Carbon/Epoxy Composites" *Journal of Reinforced Plastics and Composites*, Vol. 22, No. 3, (2003), pp. 271-296.
80. Hosur, M. V., Islam, W., Jeelani, S., Vaidya, U. K., and Dutta, P. "Effect of Temperature and Moisture on the High Strain Rate Response of Graphite/Epoxy Composites," *Journal of Engineering Materials and Technology*, Vol. 125, (2003), pp.1-8.
81. Hosur, M. V., Myers, D., Vaidya, U. K. and Jeelani, S. "Studies on the Repair of Ballistic Impact Damage in S2-Glass/Epoxy Laminates," *Composite Structures*, 61, No. 4 (2003), pp. 281-290.

82. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and Jeelani, S. "Studies on Impact Damage Resistance of Affordable Stitched Woven Carbon/Epoxy Composite Laminates" *Journal of Reinforced Plastics and Composites*, Vol. 22, No. 10 (2003), pp.927-952.
83. Hosur, M. V., Adya, M, Vaidya, U. K., Mayer, A. and Jeelani, S. "Effect of Stitching and Weave Architecture on the High Strain Rate Compression Response of Affordable Woven Carbon/Epoxy Laminates," *Composite Structures*, 59 (2003), pp. 507-523.
84. Hosur, M. V., Karim, M. R. and Jeelani, S. "Experimental Investigation on the Response of Stitched/Unstitched Woven S2-Glass/SC-15 Epoxy Composites under Single and Repeated Low Velocity Impact Loading" *Composite Structures*, 61, No. 1-2 (2003), pp.89-102.
85. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and Jeelani, S. "Off- Axis High Strain Rate Characterization of Plain Weave Carbon/Epoxy Composites," *Polymers and Polymer Composites*, Vol. 11, No. 7 (2003), pp. 527-540.
86. Chakravarty, U., Mahfuz, H., Saha, M. and Jeelani, S., " Strain Rate Effects on Sandwich Core Materials: An Experimental and Analytical Investigation," *Acta Materialia*, 51 (2003) 1469-1479.
87. Mahfuz, H., Adnan, A., Vijaya Rangari, and Jeelani, S., "Carbon Nanoparticles/Whiskers Reinforced Composites and their Tensile Response," 48th International SAMPE Symposium, Long Beach CA, Vol. 48, May 11-15 (2003), pp. 2559-2571
88. Hosur, M. V., Adya, M., Vaidya, U. K., Dutta, P. and Jeelani, S. "Experimental Studies on the High Strain Rate Compression Response of Woven Graphite/Epoxy Composites at Room and Elevated Temperatures," *Journal of Reinforced Plastics and Composites*, Vol. 23, No. 5 (2004), pp. 491-514.
89. Hosur, M. V., Alexander, J., Vaidya, U.K., Mayer, A. and Jeelani, S. "Studies on the Off-Axis High Strain Rate Compression Loading of Satin Weave Carbon/Epoxy Composites," *Composite Structures*, Vol. 63 (2004), pp.75-85.
90. Hosur, M. V., Karim, R. M., and Jeelani, S. "On the Response of Stitched S2-Glass/Epoxy Composites to High Strain Rate Compression Loading," *Polymer and Polymer Composites*, Vol. 12, No. 3 (2004), pp.183-196.
91. Hosur, M. V., Vaidya, U. K., Ulven, C. and Jeelani, S. "Performance of Stitched/Unstitched Woven Carbon/Epoxy Composites Under High Velocity Impact Loading," *Composite Structures*, Vol. 64, No. 3-4, (2004), pp. 455-466.

92. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and Jeelani, S. "Experimental Studies on the Dynamic Punch Shear Characterization of Satin Weave Graphite/Epoxy Composites," *Materials Science Engineering A.*, 368, (2004), pp. 269-279.
93. Hosur, M. V., Abdullah, M. and Jeelani, S. "Manufacturing and Low Velocity Impact Characterization of Hollow-Core Sandwich Composites with Hybrid Face sheets," *Composite Structures*, Vol. 65, No.1 (2004), pp. 103-115.
94. Hosur, M. V., Karim, R. and Jeelani, S. "Studies on Stitched Woven S2-Glass/Epoxy Laminates under Low Velocity and Ballistic Impact Loading," *Journal of Reinforced Plastics and Composites*, Vol. 23, No. 12 (2004), pp. 1313-1324.
95. Hosur, M. V., Abdullah, M. and Jeelani, S. "Studies on Low-Velocity Impact Response of Woven Hybrid Composites," *Composite Structures*, Vol. 67, No. 3 (2004), pp. 253-262.
96. Hosur, M. V., Abdullah, M. and Jeelani, S. "Manufacturing and Low Velocity Impact Characterization of Foam-Filled 3-D Integrated Core Sandwich Composites with Hybrid Face Sheets," *Composite Structures*, Vol. 69, No. 2 (2004), pp. 167-181.
97. Kanny, K., Mahfuz, H., Thomas, T. and Jeelani, S., "Fatigue of Cross-linked and Linear PVC Foams under Shear Loading," *Journal of Reinforced Plastics and Composites*, Vol. 23 No. 6 (2004), pp. 601-612.
98. Thomas, T., Mahfuz, H., Kanny, K. and Jeelani, S., "High Strain Rate Response of Cross-linked & Linear PVC Foams," *Journal of Reinforced Plastics and Composites*, Vol. 23, No. 7 (2004), pp. 739-749.
99. Kulkarni, N., Mahfuz, H. and Jeelani, S., "Fatigue Failure Mechanism and Crack Growth in Foam Core Sandwich Composites under Flexural Loading," *Journal of Reinforced Plastics and Composites*, Volume 23, No. 1(2004), pp. 83-94.
100. Thomas, T., Mahfuz, H., Kanny, K., and Jeelani, S., "Dynamic Compression of Sandwich Composites at Sub-Ambient Temperatures," *Journal of Composite Materials*, Vol. 38, No. 8 (2004), pp. 641-654.
101. Kanny, K., Mahfuz, H., Thomas, T., and Jeelani, S, "Static and Dynamic Characterization of Polymer Foams under Shear Loads, *Journal of Composite Materials*, Vol. 3, No. 8 (2004), pp. 629-640.
102. Mahfuz, Hassan., Rangari, V., Islam, M., and Jeelani, S., "Fabrication, Synthesis and Mechanical Characterization of Nanoparticles Infused Polyurethane Foams," *Composites Part A: Applied Science and Manufacturing*, Vol. 35 No. 4 (2004), pp. 453-460.

103. Mahfuz, H., Islam, M., Rangari, V., Saha, M. and Jeelani, S., "Response of Sandwich Composites with Nanophased Cores under Flexural Loading," *Composites Part B: 35* (2004) 543-550.
104. Mahfuz, Hassan., Adnan, A., Rangari, V., and Jeelani, S, "Carbon Nanoparticles/Whiskers Reinforced Composites and their Tensile Response," *Composites Part A: Applied Science and Manufacturing*, Vol. 35 (2004) 519-527.
105. Mahfuz, H., Majumdar, P., Saha, M. and Jeelani, S., "Integral Manufacturing of Composite Skin-Stringer Assembly and their Stability Analyses," *Applied Composite Materials*, 11 (3): (2004)155-171.
106. Chisholm, N., Mahfuz, H., Rangari, V., Ashfaq, A. and Jeelani, S., "Fabrication and Mechanical Characterization of Carbon/Epoxy Nanocomposites," *Composite Structures* 67 (2005) 115-124.
107. Saha, M., Joarder, C., Mahfuz, H., Jeelani, S., Srinivasgupta, D., Joseph, B., Thomas, M., and Christensen, S., "Manufacturing and Tensile Characteristics of Integral Sandwich Tee Joints," *Journal of Advanced Materials*, 37(1) (2005), 53-60.
108. Mahfuz, H., Baseer, M.A., Rangari, V., Jeelani, S. "Fabrication, Characterization and Mechanical Properties of Nanophased Carbon Prepreg Laminates," *SAMPE Journal*, 41(2) (2005), 40-48.
109. Saha, M., Mahfuz, H., Chakravarty, U., Uddin, M., Kabir, M., Jeelani, S., "Effect of Density, Microstructure, and Strain Rate on Compression Behavior of Polymeric Foams," *Materials Science and Engineering A*, 406(1-2) (2005), 328-336.
110. Mahfuz, H., Adnan, A., Rangari, V., and Jeelani, S, "Manufacturing and Characterization of Carbon Nanotube/Polyethylene Composites," *International Journal of Nanoscience (IJN)*, 4(1) (2005), 55-72.
111. Mahfuz, H., Islam, S., Saha, M., Carlsson, L., and Jeelani, S., "Buckling of Sandwich Composites; Effects of Core-Skin Debonding and Core Density," *Applied Composite Materials*, 2(2) (2005), 73-91.
112. Rodgers, R., Mahfuz, H., Rangari, V., Chisholm, N., and Jeelani, S., "Infusion of Nanoparticle into SC-15 Epoxy; an Investigation of Thermal and Mechanical Response," *Macromolecular Materials & Engineering*, 290(5) (2005), 423-429.
113. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and Jeelani, S. "Dynamic Punch Shear Characterization of Plain Weave Graphite/Epoxy Composites at Room and Elevated Temperatures," *Composite Structures*, 70(3) (2005), 295-307.

114. Hosur, M. V., Chisholm, N., Mahfuz, H., Rangari, V., Ashfaq, A. and Jeelani, S., "Fabrication and Mechanical Characterization of Carbon/Epoxy Nanocomposites," *Composite Structures* 67 (2005) 115-124.
115. Saha, M., Joarder, C., Mahfuz, H., Jeelani, S., Srinivasgupta, D., Joseph, B., Thomas, M., and Christensen, S., "Manufacturing and Tensile Characteristics of Integral Sandwich Tee Joints," *Journal of Advanced Materials*, 37(1) (2005), 53-60.
116. Mahfuz, Hassan., Baseer, M.A., Rangari, V., Jeelani, S. "Fabrication, Characterization and Mechanical Properties of Nanophased Carbon Prepreg Laminates," *SAMPE Journal*, 41(2) (2005), 40-48.
117. Saha, M., Mahfuz, H., Chakravarty, U., Uddin, M., Kabir, M., Jeelani, S., "Effect of Density, Microstructure, and Strain Rate on Compression Behavior of Polymeric Foams," *Materials Science and Engineering A*, 406(1-2) (2005), 328-336
118. Mahfuz, H., Adnan, A., Rangari, V., and Jeelani, S, "Manufacturing and Characterization of Carbon Nanotube/Polyethylene Composites," *International Journal of Nanoscience (IJN)*, 4(1) (2005), 55-72.
119. Mahfuz, H., Islam, S., Saha, M., Carlsson, L., and Jeelani, S., "Buckling of Sandwich Composites; Effects of Core-Skin Debonding and Core Density," *Applied Composite Materials*, 2(2) (2005), 73-91.
120. Rodgers, Rene., Mahfuz, H., Rangari, V., Chisholm, N., and Jeelani, S., "Infusion of Nanoparticle into SC-15 Epoxy; an Investigation of Thermal and Mechanical Response," *Macromolecular Materials & Engineering*, 290(5) (2005), 423-429.
121. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and Jeelani, S. "Dynamic Punch Shear Characterization of Plain Weave Graphite/Epoxy Composites at Room and Elevated Temperatures," *Composite Structures*, 70(3) (2005), 295-307.
122. Hosur, M. V., Abdullah, M., and Jeelani, S. "Manufacturing and Low-Velocity Impact Characterization of Foam Filled 3-D Integrated Core Sandwich Composites with Hybrid Face Sheets," *Composite Structures*, 69(2) (2005), 167-181.
123. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and Jeelani, S. "Studies on the Low-Velocity Impact Response of Woven Hybrid Composites," *Composite Structures*, 67(3) (2005), 253-262.
124. Zhou, Y.; Mahfuz, H.; Jeelani, S.; Mallick, P.K. "Experimental Study on Tensile Behavior of Short Fiber Reinforced Nylon-6 at Different Strain Rate and Temperature," *International SAMPE Symposium and Exhibition (Proceedings)*, v 50, SAMPE 05: New Horizons for Materials and Processing Technologies - Conference Proceedings, 2005, p 1613-1624, May (2005), Long Beach CA.

125. Zhou, Y., Mahfuz, H., and Jeelani, S., "Numerical Simulation for High Strain Rate Failure Process of Unidirectional SiCf/Al Composites," *International Journal of Damage Mechanics*, 14(4) (2005), 321-341.
126. Farhana, P., Zhou, Y., Rangari, V., and Jeelani, S., "Testing and Evaluation on the Thermal and Mechanical properties of Carbon Nano Fiber reinforced SC-15 Epoxy," *Materials Science and Engineering A*, 405(1-2) (2005), 246-253.
127. Zhou, Y., Rangari, V., Mahfuz, Hassan., Jeelani, S., and P. K. Mallick, "Thermal and Mechanical behavior of Polypropylene, Talc-filled Polypropylene and Polypropylene Nanocomposites," *Materials Science and Engineering A*, 402(1-2) (2005), 109-117.
128. Abdullah, M., and Jeelani, S. "Manufacturing and Low-Velocity Impact Characterization of Foam Filled 3-D Integrated Core Sandwich Composites with Hybrid Face Sheets," *Composite Structures*, 69(2) (2005), 167-181.
129. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and Jeelani, S. "Studies on the Low-Velocity Impact Response of Woven Hybrid Composites," *Composite Structures*, 67(3) (2005), 253-262.
130. Zhou, Y.; Mahfuz, H.; Jeelani, S.; Mallick, P.K. "Experimental Study on Tensile Behavior of Short Fiber Reinforced Nylon-6 at Different Strain Rate and Temperature," *International SAMPE Symposium and Exhibition (Proceedings)*, v 50, SAMPE 05: New Horizons for Materials and Processing Technologies - Conference Proceedings, 2005, p 1613-1624, May (2005), Long Beach CA.
131. Zhou, Y., Mahfuz, H., and Jeelani, S., "Numerical Simulation for High Strain Rate Failure Process of Unidirectional SiCf/Al Composites," *International Journal of Damage Mechanics*, 14(4) (2005), 321-341.
132. Farhana, P., Zhou, Y., Rangari, V., and Jeelani, S., "Testing and Evaluation on the Thermal and Mechanical properties of Carbon Nano Fiber reinforced SC-15 Epoxy," *Materials Science and Engineering A*, 405(1-2) (2005), 246-253.
133. Zhou, Y., Rangari, V., Mahfuz, Hassan., Jeelani, S., and P. K. Mallick, "Thermal and Mechanical behavior of Polypropylene, Talc-filled Polypropylene and Polypropylene Nanocomposites," *Materials Science and Engineering A*, 402(1-2) (2005), 109-117.
134. Zhou, Y., Pervin, F., Biswas, M., Rangari, V., and Jeelani, S., "Fabrication and Characterization of Montmorillonite Clay-filled SC-15 Epoxy," *Materials Letters*, 60(7) (2006), 869-873.

135. Zhou, Y., Baseer, M., Mahfuz, H., and Jeelani, S., "Monte Carlo Simulation on Tensile Failure Process of Unidirectional Carbon Fiber Reinforced Nano-Phased Epoxy," *Materials Science and Engineering A*, 420(1-2) (2006), 63-71.
136. Zhou, Y., Pervin, P., Rangari, V., and Jeelani, S., Fabrication and evaluation of carbon nano fiber filled carbon/epoxy composite *Materials Science and Engineering: A*, 426(1-2) (2006), 221-228
137. Hassan, M., Zhou, Y., Mahfuz, S., and Jeelani, S., "Effect of SiO₂ nanoparticle on thermal and tensile behavior of nylon-6," *Materials Science and Engineering: A*, 429(1-2) (2006), 181-188.
138. Mahfuz, H., Adnan, A., Rangari, V., Hasan, M., Jeelani, S., Wright, W. J., and Deteresa, S. J., "Enhancement of Strength and Stiffness of Nylon 6 Filaments through Carbon Nanotubes Reinforcement," *Applied Physics Letters*, 88(2006), 083119.
139. Chowdhury, F.H., Hosur, M.V., Jeelani, S., "Studies on the Flexural and Thermomechanical Properties of Woven Carbon/Nanoclay-Epoxy Laminates," *Materials Science and Engineering A*, 421, 2006, 298-306
140. Hosur, M.V., Waliul Islam, S.M., and Jeelani, S., "Dynamic Punch Shear Characterization of Twill Weave Graphite/Epoxy Composites," *Polymers and Polymer Composites*, Vol. 14, No. 2, 2006, pp. 135-143
141. Vaidya, U.K., Gautam, A. R. S., Hosur, M. V., and Dutta, P., "Experimental-Numerical Studies of Transverse Impact Response of Adhesively Bonded Lap Joints in Composite Structures," *International Journal of Adhesion and Adhesives*, Vol. 26, No. 3, June 2006, pp.184-198.
142. Rangari, V., Tarig A. Hassan, Yuanxin Zhou, Hassan Mahfuz¹ and Shaik Jeelani, "Cloisite Clay Infused Phenolic Foam Nanocomposite," *Journal of Applied Polymer Science*, 103, 308-314, 2007
143. Mahfuz, Hassan; Hasan, Mohammad M.; Rangari, V., Jeelani, Shaik. "Reinforcement of nylon-6 filaments with SiO₂ nanoparticles and comparison of Young's modulus with theoretical bounds," *Macromolecular Materials and Engineering*, 292 (4), 437-444, 2007.
144. Hassan Mahfuz, Shaik Zainuddin, Martin R. Parker, Tariq Al-Saadi, Rangari, V., Shaik Jeelani. "Enhancement of strength and stiffness of epoxy-based composites using nanoparticle infusion and high magnetic fields," *Materials Letters*, 61, 2535–2539, 2007.
145. Rangari, V., Hassan, T., Zhou, Y., Mahfuz, H., Jeelani, and Prorok, B., "Cloisite Clay-Infused Phenolic Foam Nanocomposites," *Journal of Applied Polymer Science*, Vol. 103, 308-314 (2007).

146. Mahfuz, H., Hasan, M., Rangari, V., and Jeelani, S., "Reinforcement of Nylon 6 Filaments with SiO₂ Nanoparticles and Comparison of Young's Modulus with Theoretical Bounds," *Macromolecular Materials & Engineering* 2007, 292, 437-444.
147. Adnan, A., Sun, C.T., and Mahfuz, H., "A molecular Dynamics Simulation Study to Investigate the Effect of Filler Size on Elastic Properties of Polymer Nanocomposites," *Composites Science and Technology* 67 (2007) 348-356.
148. M. V. Hosur, M. Abdullah, S. Jeelani, "Dynamic Compression Behavior of Integrated Core Sandwich Composites," *Materials Science and Engineering-A*, Vol. 445-446, 2007, pp. 54-64.
149. M. V. Hosur, K. Jain, F. Chowdhury, S. Jeelani, M. R. Bhat, C. R. L. Murthy, "Low-Velocity Impact Response of Carbon/Epoxy Laminates Subjected to Cold-Dry and Cold-Moist Conditioning," *Composite Structures*, Vol. 79, 2007, pp. 300-311.
150. M. V. Hosur, F. Chowdhury, and S. Jeelani, "Processing, Impact Response and Damage Characterisation of Plain-Weave Carbon/Epoxy-Nanoclay Nanocomposites," *Polymer and Polymer Composites*, Vol. 15, No. 6, 2007, pp.425-435.
151. C. Lew, F. Chowdhury, M. V. Hosur, A. N. Netravali, "The Effect of Silica (SiO₂) Nanoparticles and Ammonia/Ethylene Plasma Treatment on the Interfacial and Mechanical Properties of Carbon Fiber-Reinforced Epoxy Composites," *Journal of Adhesion Science and Technology*, Vol. 21, No. 14, 2007, pp. 1407-1424.
152. Yuanxin Zhou, Farhana Pervin, Lance Lewis and Shaik Jeelani, "Experimental study on the thermal and mechanical properties of multi-walled carbon nanotube-reinforced epoxy," *Materials Science and Engineering: A*, Volume 452-453, 2007 pp. 657-664.
153. Yuanxin Zhou, Sajedur Rahman Akanda, Shaik Jeelani and Thomas E. Lacy, "Nonlinear Constitutive Equation for Vapor-Grown Carbon Nanofiber-Reinforced SC-15 Epoxy at Different Strain Rate," *Materials Science and Engineering: A*, 465, n 1-2, Sep 15, 2007, p 238-246.
154. M. V. Hosur, F. Chowdhury, and S. Jeelani, "Low-Velocity Impact Response and Ultrasonic NDE of Woven Carbon/Epoxy-Nanoclay Nanocomposites," *Journal of Composite Materials*, Vol. 41, No. 18, Sept. 2007, pp. 2195-2212.
155. Yuanxin Zhou, Farhana Pervin, Shaik Jeelani, "Effect vapor grown carbon nanofiber on thermal and mechanical properties of epoxy," *Journal of Materials Science*, v 42, n 17, August, 2007, p 7544-7553.
156. F. H. Chowdhury, M.V. Hosur, S. Jeelani, "Investigations on the Thermal and Flexural Properties of Plain Weave Carbon/Epoxy-Nanoclay Composites by Hand-Layup Technique," *Journal of Materials Science*, Vol. 42, No.8, April, 2007, pp. 2690-2700.

157. Hasan, Yuanxin Zhou and Shaik Jeelani, "Thermal and tensile properties of aligned carbon nanofiber reinforced polypropylene," *Materials Letters*, Volume 61, Issue 4-5, February 2007, Pages 1134-1136
158. Yuanming Xia, Ying Wang, Yuanxin Zhou and Shaik Jeelani, "Effect of strain rate on tensile behavior of carbon fiber reinforced aluminum laminates," *Materials Letters*, Volume 61, Issue 1, January 2007, Pages 213-215
159. Yuanxin Zhou, Yuanming Xia, Ying Wang and Shaik Jeelani, "Experimental study on tensile behavior of carbon fiber and carbon fiber reinforced aluminum at different strain rate," *Applied Composite Materials*, Volume 14, Number 1, January, 2007, pp. 17-31
160. Rangari, V. T. A. Hassan, Yuanxin Zhou; Hassan Mahfuz, Shaik Jeelani ; B. C. Prorok, "Cloisite clay-infused phenolic foam Nanocomposites," *Journal of Applied Polymer Science*, v 103, n 1, Jan 5, 2007, p 308-314
161. Theotokoglou, E.E., Hortis. D., Carlsson, L.A. and Mahfuz, H., "Numerical Study of Fractured Sandwich Composites under Flexural Loading," *Journal of Sandwich Structures and Materials* 2008; 10; 75
162. M. V. Hosur, A. A. Mohammed, S. Zainuddin, and S. Jeelani, "Impact Performance of Nanophased Foam Core Sandwich Composites," *Materials Science and Engineering, A* Vol. 498, No. 1-2, 2008, pp. 100-109.
163. M. V. Hosur, A. A. Mohammed, and S. Jeelani, "Processing of Nanoclay Filled Sandwich Composites and their Response to Impact Loading," *Journal of Reinforced Plastic and Composites*, Vol. 27, No 8, 2008, pp. 797-818.
164. Hosur M. V., Mayo Jr. J. B., Wetzel E., and Jeelani S., "Studies on the Fabrication and Stab Resistance Characterization of Novel Thermoplastic-Kevlar Composites," *Advanced Structural and Functional Materials for Protection, Solid State Phenomena* Vol. 136, 2008, pp. 83-92.
165. Ingram J., Yuanxin Zhou, Jeelani S., Lacy T., and Horstmeyer M.F., "Effect of strain rate on tensile behavior of polypropylene and carbon nanofiber filled polypropylene," *Materials Science and Engineering: A*, 489(2008) Pages 99-106
166. Jones I. K., Yuanxin Zhou, Jeelani S., Mabry J.M., "Effect of polyhedral-oligomeric-silsesquioxanes on thermal and mechanical behavior of SC-15 epoxy," *Express Polymer Letters*, (2)2008: 494-501.
167. Rangari, V., Tarig A. Hassan, Clifton Mayo and Shaik Jeelani, "Titanium carbide infused phenolic balsa foam nanocomposite," *International Journal of Nanoscience*, 7, 235-243, 2008.

168. Rangari, V., Mohammed Yousuf, Shaik Jeelani, Merlyn X. Pulikkathara and Valery N. Khabashesku, "Alignment of carbon nanotubes and reinforcing effects in Nylon-6 polymer composite fibers," *Nanotechnology*, 19, 245703-245712, 2008.
169. Hassan Mahfuz, Mohammad Hasan, Vinod Dhanak, Graham Beamson, Justin Stewart, Rangari, V., and Shaik Jeelani, "Enhancing the properties of nylon 6 filaments with functionalized silica nanoparticles," *Nanotechnology*, 19, 445702-445706, 2008.
170. M. V. Hosur, A. A. Mohammed, S. Zainuddin and S. Jeelani, "Processing of Nanoclay Filled Sandwich Composites and their Response to Low-Velocity Impact Loading," *Composite Structures*, Vol. 82, 2008, pp. 101-116.
171. Ayorinde, E., Gibson, R., Kulkarni, S., Deng, F., Mahfuz, H., Islam, S., Jeelani, S., "Reliable low-cost NDE of Composite Marine Sandwich Structures," *Composites: Part B*, 39 (2008) 226-241.
172. Rangari, V., Mohammad, I, Jeelani Yuanxin Zhou and Shaik Jeelani, "Fabrication and characterization of MWCNT/thermoplastic microsphere nanocomposite foams," *International Journal of Nanoscience*, 7, 161-169, 2008.
173. Yuanxin Zhou, Peixuan Wu, Zhongyang Cheng, Joranda Ingram and Shaik Jeelani, "Improvement in electrical, thermal and mechanical properties of epoxy by filling carbon," *Express Polymer Letter*, 2008, 2(1), 40-48.
174. Rangari, V., Shaik, M, Mahfuz, H. and Jeelani, S., "Fabrication and Characterization of High Strength Nylon-6/Si₃N₄ Polymer Nanocomposites Fibers," *Materials Science & Engineering A*, (2008) DOI:10.1016/j.msea.2008.09.014
175. B. Bey, Yuanxin Zhou, Shaik Jeelani, Ashok Kumar and L.D. Stephenson, "Nonlinear constitutive equation for temperature degraded unidirectional carbon fiber reinforced epoxy," *Materials Letters*, Volume 62, Issues 21-22, 15 August 2008, Pages 3659-3662
176. Yuanxin Zhou, Farhana Pervin, Shaik Jeelani and P.K. Mallick, "Improvement in mechanical properties of carbon fabric-epoxy composite using carbon nanofibers," *Journal of Materials Processing Technology*, Volume 198, Issues 1-3, 3 March 2008, Pages 445-453
177. Yuanxin Zhou, Farhana Pervin, Lance Lewis and Shaik Jeelani, "Fabrication and characterization of carbon/epoxy composites mixed with multi-walled carbon nanotubes," *Materials Science and Engineering: A*, Volume 475, Issues 1-2, 25 February 2008, Pages 157-165
178. Yuanxin Zhou, M.I. Jeelani, and Shaik Jeelani, "Fabrication and characterization of carbon/epoxy composites mixed with multi-walled carbon nanotubes,"

Materials Science and Engineering: A, Volume 475, Issues 1-2, 25 February 2008, Pages 157-165

179. Seyhan Boyoglu, Komal Vig, Shreekumar Pillai, Rangari, V., Vida A. Dennis, Praseetha Subbarayan, Shree R. Singh, "Enhanced Delivery and Expression of Nanoencapsulated DNA Vaccine Vector," *Nanomedicine: Nanotechnology, Biology and Medicine*, Volume 5, Issue 4, December 2009, Pages 463-472
180. Jessie Mayo, Eric Wetzel, Mahesh Hosur, Shaik Jeelani, "Stab and Puncture Characterization of Thermoplastic-Impregnated Aramid Fabrics," *International Journal of Impact Engineering*, Volume 36, Issue 9, September 2009, Pages 1095-1105.
181. Y.-H. Phillip Lee, Sateesh Sathigari, Y.-J. Jean Lin, William R. Ravis, Gurkishan Chadha, Daniel L. Parsons, Rangari, V., Nydeia Wright, R. Jayachandra Babu, "Gefitinib-cyclodextrin inclusion complexes: physico-chemical characterization and dissolution studies," *Drug Development and Industrial Pharmacy* Sep 2009, Vol. 35, No. 9, Pages 1113-1120: 1113-1120.
182. Tamara Floyd-Smith, David Baah, Kala Bean, April Hollinger, Dwayne Vickers and Jeremy York, "Principles of Nanotechnology for Middle and High School Students," *Journal of Materials Education*, Volume 31, Issue 3-4, pages 167-174.
183. Rangari, V., Tarig A Hassan, Quentin Mayo and Shaik Jeelani, "Size reduction of WO₃ nanoparticles by ultrasound irradiation and its applications in structural nanocomposites," *Composite Science and Engineering*, 69, 2009, 2293-2300
184. Hassan Mahfuz, Floria Clements, Rangari, V., Vinod Dhanak and Graham Beamson, "Enhanced Stab Resistance of Flexible Body Armor with Functionalized Silica Nanoparticles," *Journal of Applied Physics*, 105, 064307, 2009
185. Mahesh V. Hosur, Orion Gebremedin, Shaik Jeelani, "Processing and Performance Evaluation of Nanoclay Infused EPON 828," *Polymer & Polymer Composites*, 17 (3), 2009, pp. 151-160.
186. Hassan Mahfuz, Shaik Zainuddin, Martin R. Parker, Tariq Al-Saadi, Rangari, V., Shaik Jeelani, "Reinforcement of SC-15 epoxy with CNT/CNF under high magnetic field: an investigation of mechanical and thermal response," *J Mater Sci*, 44:1113-1120, 2009.
187. Rangari, V., Mohammed Y. Shaik and Shaik Jeelani, "Fabrication and characterization of high strength Nylon-6/Si₃N₄ polymer nanocomposites fibers," *Materials Science and Engineering A*, 500, 92-97, 2009.
188. S. Zainuddin, M. V. Hosur, Y. Zhou, A. Kumar, and S. Jeelani, "Durability studies of montmorillonite clay filled epoxy composites under different environmental conditions," *Materials Science and Engineering*, 507, 2009, pp. 117-123.

189. Mahfuz, H., Clements, F., Rangari, V., Dhanak, V. and Beamson, G., "Enhanced Stab Resistance with Functionalized Silica Nanoparticles," *Journal of Applied Physics* 105, 064307 (2009).
190. Mahesh V. Hosur, Md. Mazedul Islam, Shaik Jeelani, "Processing and performance of nanophased braided carbon/epoxy composites," *Materials Science and Engineering B* doi:10.1016/j.mseb.2009.10.015, 2009
191. Md. A. Bhuiyan, M. V. Hosur, S. Jeelani, "Low –Velocity Impact Response of Sandwich Composites with Nanophased Foam Core and Biaxial ($\pm 45^\circ$) Braided Face Sheets," *Composites Part B: Engineering*, Volume 40, Issue 6, September 2009, Pages 561-571.
192. Dwayne Vickers, Tamara Floyd-Smith and Lynden Archer, "Synthesis and Characterization of Cubic Cobalt Oxide Nanocomposite Fluids," *Colloids and Surfaces A*, 10.1016/j.colsurfa.2009.06.025.
193. Mahfuz, H., Zainuddin, S., Parker, M.R., Al-Saadi, T., Rangari, V., and Jeelani, S., "Reinforcement of SC-15 Epoxy with CNT/CNF under High Magnetic Field – An Investigation of Mechanical and Thermal Response," *Journal of Materials Science*, Volume 44, Number 4, January 2009, Pages 1113-1120.
194. S Sathigari, GS Chadha, Y-H Lee, N Wright, DL Parsons, Rangari, V., O Fasina, RJ Babu, "Physicochemical characterization of efavirenz-cyclodextrin inclusion complexes," *AAPS PharmSciTech* (2009) 10: 81-7
195. Tamara Floyd-Smith, David Baah, James Bradley, Michelle Sidler, Rosine Hall, Terrell Daughtrey and Christine Curtis, "A Distance Education Course for Non-Scientists Coordinated Among Three Universities," *Chemical Engineering Education*, Winter 2010 v 44.1: Winter 2010.
196. S. Zainuddin, M. V. Hosur, A. Kumar, and S. Jeelani, "Durability Study of Neat/Nanophased GFRP Composites Subjected to Different Environmental Conditioning," *Materials Science and Engineering A*, 527, 2010, pp. 3091-3099.
197. Yuanxin Zhou, Evert White, Mahesh Hosur, Shaik Jeelani, "Effect of particle size and weight fraction on the flexural strength and failure mode of TiO_2 particles reinforced epoxy," *Materials Letters*, 64, 2010, pp. 806-809.
198. Mahesh V. Hosur, Tamanna Rahman, Shaik Jeelani, "Mechanical and Thermal Properties of Amine Functionalized Multi-walled Carbon Nanotubes Epoxy Based Nanocomposite," *Composite Interfaces*, Vol. 17, 2010, pp. 197-215.

- 199.H. Kumar, M. V. Hosur and A. N. Netravali, "Characterization of interface properties of clay nanoplatelets filled epoxy resin and carbon fiber by single fiber composite technique," *Journal of Adhesive Science and Technology*, 24 (1), 2010, pp. 217-236.
- 200.Mahesh V. Hosur, Md. Mazedul Islam, Shaik Jeelani, "Processing and performance of nanophased braided carbon/epoxy composites," *Materials Science and Engineering B*, 168, 2010, pp. 22-29.
- 201.Mohamed O. Abdalla, Ritu Aneja, Derrick Dean, Rangari, V., AlbertRussell, Jessie Jaynes, Clayton Yates and Timothy Turner, "Synthesis and characterization of noscapine loaded magnetic polymeric nanoparticles," *Journal of Magnetism and Magnetic Materials* 322,190-196,2010
- 202.Tarig A Hassan, Rangari, V., and Shaik Jeelani, "Synthesis, processing and characterization of shear thickening fluid (STF) pregnated fabric composites," *Mat Sci &Eng-A*, 527, 2892-2899, 2010
- 203.Wanda D. Jones, Rangari, V., and Shaik Jeelani, "Synthesis and characterization of (Fe₃O₄ /MWCNTs) / Epoxy Nanocomposites," *J. Applied Polymer Science*, 116, 2783-2792, 2010
- 204.Rangari, V., Mohammad, Ghouse; Jeelani, Shaik; Butenko, Yuri; Dhanak, Vinod. "Synthesis and characterization of diamond coated CNTs and their reinforcement in Nylon-6 single fiber," *ACS Applied Materials & Interfaces* **2010**, 2 (7), 1829–1834.
- 205.Rangari, V., Ghouse M. Mohammad, Shaik Jeelani, Angel Hundley, Komal Vig, Shree Ram Singh and Shreekumar Pillai, "Synthesis of Ag/CNTs hybrid nanoparticles and fabrication of their Nylon-6 polymer nanocomposite fibers for antimicrobial applications," *Nanotechnology*, 21, 095102, 2010
- 206.Tarig A. Hassan, Rangari, V., and Shaik Jeelani., "Sonochemical synthesis and rheological properties of shear thickening dispersions," *J Ultrasonic and sonochemistry*, Volume 17, Issue 5, June 2010, Pages 947-952
- 207.Rangri, V., Mohammad S. Bhuyan, Shaik Jeelani, "Microwave Processing and Charactering of EPON 862/CNTs Nanocomposites," *Mat Sci & Eng –B*, Volume 168, Issues 1-3, 15 April 2010, Pages 117-121
- 208.Yuanxin Zhou, Yang Wang, Yuanming Xia, and Shaik Jeelani, Tensile behavior of carbon fiber bundles at different strain rates, *Materials Letters*, Volume 64, Issue 3, 15 February 2010, Pages 246-248.
- 209.Komal Vig, Seyhan Boyoglu, Rangari, V., Michael Miller, Shreekumar Pillai, Shree R. Singh, "Respiratory Syncytial Virus Interactions with Nanoparticles Using Transmission Electron Microscopy." *Biophysical Journal*, Volume 98, Issue 3, Supplement 1, January 2010, Page 655a

210. Rangari, V., Mohammad Y. Shaik, Ghouse M. Mohammad, Shaik Jeelani, Reinforcement of Si₃N₄ nanoparticles in Polypropylene single fibers through melt extrusion process and their properties, *Journal of Applied Polymer Science* (In press-2010)
211. Rangari, V., Mohammad S. Bhuyan, Shaik Jeelani, Comparative study of microwave and thermal curing of high temperature epoxy/CNTs polymer nanocomposites and their properties, *International Journal of Nanoscience* (In press-2010)
212. Hosur, M. V., Alexander, J. Vaidya U. K. and **Jeelani, S.** "High Strain Rate Compression Response of Carbon/Epoxy Laminate Composites", ***Journal of Composite Structures***, 52 (2001), 405-417.
213. Mahfuz, H., Mamun, W., Austin, L., Haque, A. and **Jeelani, S.** "New Formulations for Hopkinson Bar Technique to Extract a Response of the Constituent Material in Composite Specimens," ***Journal of Materials: Design and Applications***, Vol. 215, pp. 15-27, 2001.
214. Hosur, M. V., Abraham, A., **Jeelani, S.** and Vaidya, U. K. "Studies on the Influence of Through-The-Thickness reinforcement on Low-Velocity and High Strain rate response of Woven S2-Glass/Vinyl Ester Composites", ***Journal of Composite Materials***, Vol 35, No. 12, 2001, 1111-1133.
215. Gama, B., Gillespie, J., Mahfuz, H., Bogetti, T., Fink, B. and **Jeelani, S.** "High Strain Rate Behavior of Plain-Weave S-2 Glass/Vinyl ester Composites," ***Journal of Composite Materials***, Vol. 35, No. 13 (2001), pp. 1201-1228.
216. Mahfuz, H., Mamun, W. and **Jeelani, S.** "High Strain Rate Response of Sandwich Composites; Effect of Core Density and Core-Skin Debond," ***Journal of Advanced Materials***, Vol. 34, No. 1, January 2002, pp. 22-26.
217. Kanny, K., Mahfuz, H., Thomas, T. and **Jeelani, S.** "Dynamic Mechanical Analysis and Flexural Fatigue of PVC Foams", ***Composite Structures***, 58 (2002), pp. 175-183.
218. Thomas, T., Mahfuz, H., Kanny, K. and **Jeelani, S.** "Dynamic Compression of Cellular Cores: Temperature and Strain Rate Effects", ***Composite Structures***, 58 (2002), pp. 505-512.
219. Mahfuz, H., Gama, B., Das, P., **Jeelani, S.**, Gillespie, J. and Fink, B. "Response of S2-Glass/Vinyl Ester Composites under High Strain Rate Loading - An Experimental and Finite Element Study," ***Journal of Advanced Materials***, Vol. 35, No. 4(2003), pp.36-43.
220. Kulkarni N., Mahfuz, H., **Jeelani, S.** and Carlsson, L. "Fatigue Crack Growth and Life Prediction in Foam Core Sandwich Composites under Flexural Loading", ***Composite Structures***, 59 (2003), pp. 499-505.

221. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and **Jeelani, S.** “High Strain Rate Compression Response of Affordable Woven Carbon/Epoxy Composites” **Journal of Reinforced Plastics and Composites**, Vol. 22, NO. 3, 2003, PP. 271-296.
222. Hosur, M. V., Islam, W., **Jeelani, S.**, Vaidya, U. K., and Dutta, P. “Effect of Temperature and Moisture on the High Strain Rate Response of Graphite/Epoxy Composites”, **Journal of Engineering Materials and Technology**, October 2003, Vol. 125, PP.1-8.
223. Hosur, M. V., Myers, D., Vaidya, U. K. and **Jeelani, S.** “Studies on the Repair of Ballistic Impact Damage in S2-Glass/Epoxy Laminates”, **Composite Structures**, 61, No. 4 (2003), PP. 281-290.
224. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and **Jeelani, S.** “Studies on Impact Damage Resistance of Affordable Stitched Woven Carbon/Epoxy Composite Laminates” **Journal of Reinforced Plastics and Composites**, Vol. 22, No. 10(2003), PP.927-952.
225. Hosur, M. V., Adya, M, Vaidya, U. K., Mayer, A. and **Jeelani, S.** “Effect of Stitching and Weave Architecture on the High Strain Rate Compression Response of Affordable Woven Carbon/Epoxy Laminates”, **Composite Structures**, 59 (2003), pp. 507-523.
226. Hosur, M. V., Karim, M. R. and **Jeelani, S.** “Experimental Investigation on the Response of Sticked/Unsticked Woven S2-Glass/SC-15 Epoxy Composites Under Single and Repeated Low Velocity Impact Loading” **Composite Structures**, 61, No. 1-2 (2003), PP.89-102.
227. Hosur, M. V., Alexander, J., Vaidya, U. K., Mayer, A. and **Jeelani, S.** “Off- Axis High Strain Rate Characterization of Plain Weave Carbon/Epoxy Composites”, **Polymers and Polymer Composites**, Vol. 11, No. 7 (2003), PP. 527-540.
228. Chakravarty, U., Mahfuz, H., Saha, M. and **Jeelani, S.**,” Strain Rate Effects on Sandwich Core Materials: An Experimental and Analytical Investigation,” **Acta Materialia**, 51 (2003) 1469-1479.
229. Hosur, M. V., Adya, M., Vaidya, U. K., Dutta, P. and **Jeelani, S.** “Experimental Studies on the High Strain Rate Compression Response of Woven Graphite/Epoxy Composites at Room and Elevated Temperatures”, **Journal of Reinforced Plastics and Composites**, Vol. 23, No. 5 (2004), PP. 491-514.
230. Hosur, M. V., Alexander, J., Vaidya, U.K., Mayer, A. and **Jeelani, S.** “Studies on the Off-Axis High Strain Rate Compression Loading of Satin Weave Carbon/Epoxy Composites”, **Composite Structures**, Vol. 63 (2004), PP.75-85.
231. Hosur, M. V., Karim, R. M., and **Jeelani, S.** “On the Response of Stitched S2-Glass/Epoxy Composites to High Strain Rate Compression Loading”, **Polymer and Polymer Composites**, Vol. 12, No. 3 (2004), PP.183-196.

- 232.Hosur, M. V., Vaidya, U. K., Ulven, C. and **Jeelani, S.** "Performance of Stitched/Unstitched Woven Carbon/Epoxy Composites Under High Velocity Impact Loading", **Composite Structures**, Vol. 64, No. 3-4, (2004), PP. 455-466.
- 233.Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and **Jeelani, S.** "Experimental Studies on the Dynamic Punch Shear Characterization of Satin Weave Graphite/Epoxy Composites", **Materials Science Engineering A.**, 368, (2004), PP. 269-279.
- 234.Hosur, M. V., Abdullah, M. and **Jeelani, S.** "Manufacturing and Low Velocity Impact Characterization of Hollow-Core Sandwich Composites with Hybrid Face sheets", **Composite Structures**, Vol. 65, No.1 (2004), PP. 103-115.
- 235.Hosur, M. V., Karim, R. and **Jeelani, S.** "Studies on Stitched Woven S2-Glass/Epoxy Laminates under Low Velocity and Ballistic Impact Loading", **Journal of Reinforced Plastics and Composites**, Vol. 23, No. 12 (2004), PP. 1313-1324.
- 236.Hosur, M. V., Abdullah, M. and **Jeelani, S.** "Studies on Low-Velocity Impact Response of Woven Hybrid Composites:", **Composite Structures**, Vol. 67, No. 3 (2004), PP. 253-262.
- 237.Hosur, M. V., Abdullah, M. and **Jeelani, S.** "Manufacturing and Low Velocity Impact Characterization of Foam-Filled 3-D Integrated Core Sandwich Composites with Hybrid Face Sheets", **Composite Structures**, Vol. 69, No. 2 (2004), PP. 167-181.
- 238.Kanny, K., Mahfuz, H., Thomas, T. and **Jeelani, S.**, "Fatigue of Cross-linked and Linear PVC Foams under Shear Loading," *Journal of Reinforced Plastics and Composites*, Vol. 23, No. 6, pp. 601-612, 2004.
- 239.Thomas, T., Mahfuz, H., Kanny, K. and **Jeelani, S.**," High Strain Rate Response of Cross-linked & Linear PVC Foams," *Journal of Reinforced Plastics and Composites*, Vol. 23, No. 7, pp. 739-749, 2004.
- 240.Kulkarni, N., Mahfuz, H. and **Jeelani, S.**," Fatigue Failure Mechanism and Crack Growth in Foam Core Sandwich Composites under Flexural Loading," *Journal of Reinforced Plastics and Composites*, Volume 23, No. 1, pp. 83-94, 2004.
- 241.Thomas, T., Mahfuz, H., Kanny, K., and **Jeelani, S.**," Dynamic Compression of Sandwich Composites at sub-ambient Temperatures," *Journal of Composite Materials*, Vol. 38, No. 8, pp. 641-654, 2004.
- 242.Kanny, K., Mahfuz, H., Thomas, T., and **Jeelani, S.** "Static and Dynamic Characterization of Polymer Foams under Shear Loads, *Journal of Composite Materials*, Vol. 38, No. 8, pp. 629-640, 2004.

243. Mahfuz, H., Rangari, V., Islam, M., and **Jeelani, S.**, "Fabrication, Synthesis and Mechanical Characterization of Nanoparticles Infused Polyurethane Foams," *Composites Part A: Applied Science and Manufacturing*, Vol. 35, No. 4, pp. 453-460, 2004.
244. Mahfuz, H., Islam, M., Rangari, V., Saha, M. and **Jeelani, S.**, "Response of Sandwich Composites with Nanophased Cores under Flexural Loading," *Composites Part B: 35* (2004) 543-550.
245. Mahfuz, H., Adnan, A., Rangari, V., and **Jeelani, S.**, "Carbon Nanoparticles/Whiskers Reinforced Composites and their Tensile Response," *Composites Part A: Applied Science and Manufacturing*, Vol. 35 (2004) 519-527.
246. Mahfuz, H., Majumdar, P., Saha, M. and **Jeelani, S.**, "Integral Manufacturing of Composite Skin-Stringer Assembly and their Stability Analyses," *Applied Composite Materials*, 11 (3): 155-171, 2004.
247. Chisholm, N., Mahfuz, H., Rangari, V., Ashfaq, A. and **Jeelani, S.**, "Fabrication and Mechanical Characterization of Carbon/Epoxy Nanocomposites," *Composite Structures* 67 (2005) 115-124.
248. Saha, M., Joarder, C., Mahfuz, H., **Jeelani, S.**, Srinivasgupta, D., Joseph, B., Thomas, M., and Christensen, S., "Manufacturing and Tensile Characteristics of Integral Sandwich Tee Joints," *Journal of Advanced Materials*, in press.
249. Mahfuz, H., Adnan, A., Rangari, V., and **Jeelani, S.**, "Manufacturing and Characterization of Carbon Nanotube/Polyethylene Composites," *International Journal of Nanoscience (IJN)*, accepted for publication.
250. Zhou, Y., Mahfuz, H., and **Jeelani, S.**, "Numerical Simulation for High Strain Rate Failure Process of Unidirectional SiC_f/Al Composites," *International Journal of Damage Mechanics*, accepted for publication.
251. Mahfuz, H., Islam, S., Saha, M., Carlsson, L., and **Jeelani, S.**, "Buckling of Sandwich Composites; Effects of Core-Skin Debonding and Core Density," *Applied Composite Materials*, accepted for publication.
252. Rodgers, R., Mahfuz, H., Rangari, V., Chisholm, N., and **Jeelani, S.**, "Infusion of Nanoparticle into SC-15 Epoxy; an Investigation of Thermal and Mechanical Response," *Macromolecular Materials & Engineering*, accepted for publication.
253. Hosur, M. V., Islam, W., Vaidya, U. K., Dutta, P. and **Jeelani, S.**, "Dynamic Punch Shear Characterization of Plain Weave Graphite/Epoxy Composites at Room and Elevated Temperatures", *Composite Structures*, accepted for Publication.

254.Hosur, M. V., Vaidya, U. K., Mathew, B. and **Jeelani, S.** “ Influence of Z-Pin Reinforcement on Low Velocity and High Strain Rate Response of S-2 glass/epoxy Composites”, **Journal of Composite Materials**, accepted for publication.